

LED 專用定電壓電源供應器



定電壓電源供應器 DC12V

| 產品型號 | 輸入電壓 | 輸入頻率 | 輸出電壓 | 消耗電流功率 | 外觀尺寸 | 防護等級 |
|------------|--------------|---------|--------|-------------|----------------------------|-------------|
| T1210 | AC-110V/220V | 50/60Hz | DC-12V | 12W/1A | L75 mm×W38 mm×H20 mm | IP44 |
| T1220 | AC-110V/220V | 50/60Hz | DC-12V | 24W/2A | L158 mm×W40 mm×H 22.2 mm | IP44 |
| T1210P | AC-110V/220V | 50/60Hz | DC-12V | 12W/1A | L63 mm×W33 mm×H22 mm | 參考值 IP66 |
| T1220P | AC-110V/220V | 50/60Hz | DC-12V | 24W/2A | L123 mm×W33 mm×H 22 mm | 參考值 IP66 |
| NES-100-12 | AC-110V/220V | 50/60Hz | DC-12V | 100W/8.5A | L159 mm×W98 mm×H38 mm | IP44 |
| S-150-12 | AC-110V/220V | 50/60Hz | DC-12V | 150W/12.5A | L199 mm×W110 mm×H50 mm | IP44 |
| S-201-12 | AC-110V/220V | 50/60Hz | DC-12V | 201W/16.5A | L215 mm×W115 mm×H50 mm | IP44 |
| S-350-12 | AC-110V/220V | 50/60Hz | DC-12V | 350W/29A | L215 mm×W115 mm×H50 mm | IP44 |
| SE-600-12 | AC-110V/220V | 50/60Hz | DC-12V | 600W/50A | L247 mm×W127 mm×H63.5 mm | IP44 |
| SE-1000-12 | AC-110V/220V | 50/60Hz | DC-12V | 1000W/83.3A | L278 mm×W127 mm×H63.5 mm | IP44 |
| SE-1500-12 | AC-110V/220V | 50/60Hz | DC-12V | 1500W/125A | L278 mm×W177.8 mm×H63.5 mm | IP44 |

定電壓電源供應器 DC24V

| 產品型號 | 輸入電壓 | 輸入頻率 | 輸出電壓 | 消耗電流功率 | 外觀尺寸 | 防護等級 |
|------------|--------------|---------|--------|-------------|----------------------------|-------------|
| T2410P | AC-110V/220V | 50/60Hz | DC-24V | 24W/1A | L123 mm×W33 mm×H 22 mm | 參考值 IP66 |
| NES-100-24 | AC-110V/220V | 50/60Hz | DC-24V | 100W/4.5A | L159 mm×W97 mm×H38 mm | 參考值 IP44 |
| S-150-24 | AC-110V/220V | 50/60Hz | DC-24V | 150W/6.5A | L199 mm×W110 mm×H50 mm | IP44 |
| S-201-24 | AC-110V/220V | 50/60Hz | DC-12V | 201W/8.3A | L215 mm×W115 mm×H50 mm | IP44 |
| S-350-24 | AC-110V/220V | 50/60Hz | DC-24V | 350W/14.6A | L215 mm×W115 mm×H50 mm | IP44 |
| SE-600-24 | AC-110V/220V | 50/60Hz | DC-24V | 600W/25A | L247 mm×W127 mm×H63.5 mm | IP44 |
| SE-1000-24 | AC-110V/220V | 50/60Hz | DC-24V | 1000W/41.7A | L278 mm×W127 mm×H63.5 mm | IP44 |
| SE-1500-24 | AC-110V/220V | 50/60Hz | DC-24V | 1500W/62.5A | L278 mm×W177.8 mm×H63.5 mm | IP44 |



定電壓電源供應器 DC12V

| 產品型號 | 輸入電壓 | 輸入頻率 | 輸出電壓 | 消耗電流功率 | 外觀尺寸 | 防護等級 |
|------------|--------------|---------|--------|--------|---------------|------|
| T1210PS | AC-110V/220V | 50/60Hz | DC-12V | 12W | 34*34*23 | IP67 |
| LPV-20-12 | AC-110V/220V | 50/60Hz | DC-12V | 20W | 118*35*26 | IP67 |
| LPV-35-12 | AC-110V/220V | 50/60Hz | DC-12V | 35W | 148*40*30 | IP67 |
| LPV-60-12 | AC-110V/220V | 50/60Hz | DC-12V | 60W | 162.5*42.5*32 | IP67 |
| LPV-100-12 | AC-110V/220V | 50/60Hz | DC-12V | 100W | 190*52*37 | IP67 |
| CLG-150-12 | AC-110V/220V | 50/60Hz | DC-12V | 150W | 222.2*68*38.8 | IP67 |
| HLG-185-12 | AC-110V/220V | 50/60Hz | DC-12V | 185W | 228*68*38.8 | IP67 |
| HLG-240-12 | AC-110V/220V | 50/60Hz | DC-12V | 240W | 251*68*38.8 | IP67 |

定電壓電源供應器 DC24V

| 產品型號 | 輸入電壓 | 輸入頻率 | 輸出電壓 | 消耗電流功率 | 外觀尺寸 | 防護等級 |
|------------|--------------|---------|--------|--------|---------------|------|
| LPV-20-24 | AC-110V/220V | 50/60Hz | DC-24V | 20W | 118*35*26 | IP67 |
| LPV-35-24 | AC-110V/220V | 50/60Hz | DC-24V | 35W | 148*40*30 | IP67 |
| LPV-60-24 | AC-110V/220V | 50/60Hz | DC-24V | 60W | 162.5*42.5*32 | IP67 |
| LPV-100-24 | AC-110V/220V | 50/60Hz | DC-24V | 100W | 190*52*37 | IP67 |
| CLG-150-24 | AC-110V/220V | 50/60Hz | DC-24V | 150W | 222.2*68*38.8 | IP67 |
| HLG-185-24 | AC-110V/220V | 50/60Hz | DC-24V | 185W | 228*68*38.8 | IP67 |
| HLG-240-24 | AC-110V/220V | 50/60Hz | DC-24V | 240W | 251*68*38.8 | IP67 |



定電流電源供應器 350mA(1W 專用)

| 產品型號 | 輸入電壓 | 輸入頻率 | 輸出電壓 | 消耗電流 功率 | 外觀尺寸 | 防護等級 | 特別說明 |
|--------|--------------|---------|----------|------------|-------------------------|-------------|------------|
| 0120S | AC-110V/220V | 50/60Hz | DC-3~12V | 3W/350mA | L34 mm×W34 mm×H22 mm | 參考值 IP66 | 1W *1~3 只 |
| 0135B | AC-110V/220V | 50/60Hz | DC-3~36V | 8W/350mA | L65 mm×W35 mm×H23 mm | IP44 | 1W *1~8 只 |
| 0135BP | AC-110V/220V | 50/60Hz | DC-3~36V | 8W/350mA | L65 mm×W35 mm×H23 mm | IP65 | 1W *1~8 只 |
| 0235P | AC-110V/220V | 50/60Hz | DC18-48V | 12W/350mA | L123 mm× W33 mm×H 22 mm | IP65 | 1W *6~12 只 |
| 0235B | AC-110V/220V | 50/60Hz | DC18-58V | 16W/350mA | L141 mm×W45 mm×H 26 mm | IP44 | 1W *6~16 只 |
| | | | | | | | |

定電流電源供應器 700mA(3W 專用)

| 產品型號 | 輸入電壓 | 輸入頻率 | 輸出電壓 | 消耗電流 功率 | 外觀尺寸 | 防護等級 | 特別說明 |
|--------|--------------|---------|----------|------------|---------------------------|-------------|-----------|
| 0220SP | AC-110V/220V | 50/60Hz | DC-3~5V | 3W/700mA | L30 mm× W29 mm×H22 mm | 參考值 IP66 | 3W *1 只 |
| 0220SB | AC-110V/220V | 50/60Hz | DC-3~5V | 3W/700mA | L42 mm× W40 mm×H21 mm | IP44 | 3W *1 只 |
| 0220B | AC-110V/220V | 50/60Hz | DC-3~21V | 9W/700mA | L65 mm× W35 mm×H23 mm | IP44 | 3W *1~3 只 |
| 0270 | AC-110V/220V | 50/60Hz | DC10-24V | 18W/700mA | L141 mm× W45 mm×H26 mm | IP44 | 3W *3~7 只 |
| | | | | | | | |